CONTENTS - VOLUME XXII, 2002

No. 1

A double-blind, randomized, controlled parallel group study evaluating the efficacy and safety of acemetacin for the management of osteoarthritis
CHOU C.-T., TSAI Y.-Y. 1

Changes in size of periarthritis calcifications in patients with painful shoulder treated with injectable disodium-clodronate
MONTEFORTE P., ROVETTA G. 7

Serum levels of glucose-derived advanced glycation end products are associated with the severity of diabetic retinopathy in type 2 diabetic patients without renal dysfunction
KOGA K., YAMAGISHI S., OKAMOTO T., INAGAKI Y., AMANO S., TAKEUCHI M., MAKITA Z. ... 13

Temozolomide in second-line treatment after prior nitrosurea-based chemotherapy in glioblastoma multiforme: Experience from a single Portuguese institution
TEIXEIRA M.M., GARCIA I., PORTELA I., CERNUDA M., OLIVEIRA C., ALBANO J., LIMA L. ... 19

Pharmacological studies on Puerariae Flos IV: Effects of *Pueraria thomsonii* dried flower extracts on blood ethanol and acetaldehyde levels in humans
YAMAZAKI T., HOSONO T., MATSUSHITA Y., KAWASHIMA K., SOMEYA M., NAKAJIMA Y., NARUI K., HIBI Y., ISHIZAKI M., KINJO J., NOHARA T. 23

No. 2

Effects of three H_2-receptor antagonists (cimetidine, famotidine, ranitidine) on serum gastrin level
OHSAWA T., HIRATA W., HIGICHI S. 29

Pharmacokinetics and bioavailability of four modified-release ursodeoxycholic acid preparations for once-a-day administration
SIMONI P., SABATINI L., BARALDINI M., MIRASOLI M., RODA A., RODA E. 37

Paclitaxel-ifosfamide for anthracycline-resistant advanced breast cancer
KELLOKUMPU-LEHTINEN P., LANTTO A., KOKKO R., ELOMAA L., JÄRVENPÄÄ R., LEHTINEN R., BLOMQVIST C. 47

Comparison of the efficacy, safety and tolerability of original policosanol *versus* other mixtures of higher aliphatic primary alcohols in patients with type II hypercholesterolemia
CASTAÑO G., FERNÁNDEZ L., MÁS R., ILLNAIT J., FERNÁNDEZ J., MESA M., ALVAREZ E., LEZCAY M. 55

No. 3/4

Pigment epithelium-derived factor Met72Thr polymorphism in patients with diabetic microangiopathy
YAMAGISHI S., AMANO S., INAGAKI Y., OKAMOTO T., KODA Y., SOEJIMA M., KIMURA H. ... 67

Comparison of innovator and generic salbutamol inhalers: A double-blind randomized study of efficacy and tolerance
PINTO PEREIRA L.M., CLEMENT Y.N., PINTO PEREIRA S.M. 73

Fatal cases of gabexate mesilate-induced anaphylaxis
MATSUKAWA Y., NISHINARITA S., SAWADA S., HORIE T. 81

Orlistat use in overweight women with mild hypercholesterolemia
PETROGIANNOPOULOS C., KALOGEROPOULOS S., LATSIOS G.S., HARTZOULAKIS G., KALOGEROPOULOS G., ZAHAROF A. 85

Effects of policosanol and lovastatin on lipid profile and lipid peroxidation in patients with dyslipidemia associated with type 2 diabetes mellitus
CASTAÑO G., MENÉNDEZ R., MÁS R., AMOR A., FERNÁNDEZ J.L., GONZÁLEZ R.L., LEZCAY M., ALVAREZ E. 89

Effects of orally administered undenatured type II collagen against arthritic inflammatory diseases: A mechanistic exploration
BAGCHI D., MISNER B., BAGCHI M., KOTHARI S.C., DOWNS B.W., FAFARD R.D., PREUSS H.G. 101

Nurses' perceptions of medication errors
KARADENIZ G., ÇAKMAKÇI A. 111